

- Accept all types of complaints, issues and comments.
- Handle all service type complaints.
- Resolve complaints with Communication Assistants.
- Follow up with customers if requested by the customers.

If the complaint concerns a specific technical issue, a trouble ticket is filed and the ticket number is documented on the customer contact form. The ticket will be investigated and resolved by an on-site technician. The state-assigned Relay Program Manager is responsible for tracking all technical complaints and following-up with customers on resolutions.

If a miscellaneous complaint is filed with customer service, a copy is faxed to the appropriate Relay Program Manager for resolution and follow-up with the customer. Illinois customers also have the option of calling Sprint's 24-hour Customer Service department (1-800-676-3777), the Sprint Relay Program Manager or the Illinois Telecommunications Access Corporation (ITAC) to file complaints or commendations.

Illinois Relay has adopted the informal FCC procedure of closing all complaints, complete with a satisfactory resolution, within 180 days of the date the complaint was filed. Illinois Relay submits all complaints from June 1-May 31st to the FCC by the annual July 1st deadline. To see copies of the Complaint Log Summaries from 2008 through 2012, please refer to Appendix J.

C.7 Treatment of TRS Customer Info

(7) Treatment of TRS customer information. Beginning on July 21, 2000, all future contracts between the TRS administrator and the TRS vendor shall provide for the transfer of TRS customer profile data from the outgoing TRS vendor to the incoming TRS vendor. Such data must be disclosed in usable form at least 60 days prior to the provider's last day of service provision. Such data may not be used for any purpose other than to connect the TRS user with the called parties desired by that TRS user. Such information shall not be sold, distributed, shared or revealed in any other way by the relay center or its employees, unless compelled to do so by lawful order.

Illinois Relay, through Sprint's Customer Preference Database, includes type of call, billing information, speed dialing, slow typing, carrier of choice, emergency numbers, blocked outbound numbers, language type (English, Spanish, ASL) and call notes in customers' profiles. At the end of the ensuing contract(s) Sprint will transfer all TRS database records to the next incoming relay provider, at least 60 days prior to the last day of service, in a usable format.

Sprint does not use customer information for any purpose other than to connect the TRS user with the called parties desired by that TRS user. Sprint will not sell, distribute, share or reveal in any other way by the relay center or its employees, unless compelled to do so by lawful order.

§64.606 State Certification

3(b)(1) Requirements for state certification. After review of state documentation, the Commission shall certify, by letter, or order, the state program if the Commission determines that the state certification documentation: (i) Establishes that the state program

meets or exceeds all operational, technical, and functional minimum standards contained in §64.604; (ii) Establishes that the state program makes available adequate procedures and remedies for enforcing the requirements of the state program, including that it makes available to TRS users informational materials on state and Commission complaint procedures sufficient for users to know the proper procedures for filing complaints; and (iii) Where a state program exceeds the mandatory minimum standards contained in §64.604, the state establishes that its program in no way conflicts with federal law.

Illinois Relay was approved for TRS Certification Renewal by the FCC in 2008. For a copy of this letter, please see Appendix L.

§64.606(f) Notification of substantive change. (1) States must notify the Commission of substantive changes in their TRS programs within 60 days of when they occur, and must certify that the state TRS program continues to meet federal minimum standards after implementing the substantive change.

No substantive changes.

Exhibit C - Spent TRS Rating Criteria

Exhibit B - Sprint TRS Training Outlines

TRS TRAINING SCHEDULE		
DAY 1	Welcome Packet/Important Numbers/Confidentiality Forms Building Tour, Lockers, Keycard check, Login Numbers Training Goals and Expectations What is Relay? Video: Making the Right Connection How We Got Here - Orientation - Why we're here. Contract Information Introduction of Training Workbooks TTY Overview/Abbreviations, Descriptive Words/Background Noises	ASL Introduction Overview of System and Equipment Skills Test: Typing, talking, listening, reading Enter Your Preferences: Admin Presentation Committing to Relay Headset Orientation Basic Call Processing Procedures (TTY - Voice) Observe Calls Typing Practice Tests if necessary
	(TTY - Voice) - continued Role-Play Introduction Review (TTY - Voice) TTY - VOICE PRACTICE Phone Image/Rudeness Detachment Expressive Typing Variations Deaf Culture: Quiz about Deafness	Observe calls Continue call processing (Voice - TTY) Administer Spelling Test VOICE TTY PRACTICE ASL Orientation Presentation Review for test #1 Typing practice tests if necessary
DAY 2	Review - Variations Branding Recording Feature Answering Machines/Answering Machine Retrieval (AMR) Control D Feature/Pagers Voice Mail	Page 28 notes Deaf Culture: Deaf Timeline Practice Role Plays Observe Administer Test #2 Typing practice tests if necessary
	VCO - Non-Branded VCO - Branded Practice Role Plays Privacy Feature (VCO) VCO Answering Machines Voice to VCO Two Line VCO	Variations Practice Role Plays Demonstration Observe Review for test #2 Typing practice tests if necessary
DAY 3	Review Surveys (TTY - Voice and Voice- TTY)/ Observe Billing/Immediate Credit Prepaid Calling Cards Roaming	Deaf Culture by ASL Worksheets ASL Worksheet Practice Role Plays Administer Test #3 Typing practice tests if necessary
	Review Changing CAs - Video and Call Takeover Process Directory Assistance Sprint International/ 900 calls HCO - Non Branded HCO - Branded Voice - HCO HCO Answering Machines	Practice Role Plays ASL Handwritten Presentation by staff Interpreter or individual with experience Observe - TTY Review for test #3 HR - Scripts Typing practice tests if necessary
DAY 4	Review Practice Role Plays Customer Service Operator Services for the Deaf (OSD)	Deaf to Deaf Administer Test #4 Observe - TTY Typing practice tests if necessary
	Review Practice Role Plays - VCO Final - VCO Surveys/ Observe ASL Translation Customer Database (CDB) Features	Emergency Alerts Help Screen Review Take Calls - assisted Review for test #4 Typing practice tests if necessary

TRS TRAINING SCHEDULE		
DAY 9	Review Variations Practice Role Plays Return ASL Workbooks and Discussion Adherence/Trades/OT - OA Presentation	Administer Test #4 Overview of Federal Relay Take FRS Calls - assisted Review for Test #5 Typing Practice Tests if necessary
	Administer Test #5 Final Review/ Questions & Answers Detachment Life After Training Complete Typing Tests if necessary	Graduation Take Calls Take digital pictures for Sprint ID Badge

Figure 1 - TRS CA Training Schedule

Topics Covered During Training

The following is a comprehensive list of all training topics covered by Sprint during initial training.

TRAINING TOPICS		
Orientation	Welcome and Introductions Introduction to Each Other Sprint Nextel Corporation (or Vendor Company) Sprint ahead Values Sprint Nextel Overview History of Sprint Corporation Founders Long Distance Local Telecommunications PCS	Internet Services Product Distribution The Sprint Campus The Sprint Nextel Merger Telecommunications Relay Service What is Relay? Relay Agent Training Relay- Connect to Your Future Video Observation Guidelines How a Call Reaches Sprint Nextel Relay
Connecting to Relay	The Role of a Relay Agent Connecting to Relay 711 Dedicated Toll-Free Numbers Equipment TTY TTY Basics TTY Etiquette Closing a Conversation Agent Responsibility Call Set Up Call Closing TTY to Voice Closing a Conversation Operator Role Closure Operator Close Protocol Guide: Disallowed Calls Glossary of Abbreviations and Terms TTY Practice Session Auto-Corrected Abbreviations Standard Abbreviations Typing Variations Internet Characters Non-Baudot Supported Characters Verbatim - Style Contraction Spelling Punctuation Agent/Operator Role SKSK Background Noises While TTY user is Typing Typing Monetary Units	Sprint IP User Connects to Agent but wants Customer Service Sprint IP Two Line VCO FRSO- Federal Relay Service Online FRSO call processing FRSO Reporting FRSO variations Sprint IP/FRSO International Calling Sprint IP/FRSO Variations Sprint IP/FRSO Fast Busy Sprint IP/FRSO Two Line VCO Sprint IP/FRSO Conversation Lag Time Sprint IP/FRSO Interrupts Voice to AIM (AOL) VM Greeting Voice to AIM procedures Voice to AIM variations Blocked screen names - suspect international locations. Cellular and Wireless Phones Video Relay Service Blackberry Devices and Pagers TTY Public Payphone Sprint National Relay Sprint International (SI) Inbound International calling Sprint International Variations Non-Standard TTY Outbound International calling Transfer Menu

TRAINING TOPICS		
	711 TTY Garble During Typing XXX to Correct Typing Error Other Communication Devices Data Transmission Speed Turbo Code Turbo Code Interrupt Enhanced Turbo Dial Through - (ETurbo) Disable Turbo Code Mode ASCII - American Standard Code Information Interchange ASCII Interrupts Sprint IP - Internet Relay Sprint IP call processing Internet Relay variations Sprint IP RELAY: Internet & IM access 'GA' is optional Sprint IP Standard Service Explanation Text Flow Interruptions without garble Conversational flow ASL Emoticons – Smileys – Text Message Abbreviations IP Acronyms Sprint IP Variations 911 Emergency Calls Spanish and French Language Service International calling restrictions Sprint IP Correctional facilities/Jails Info Digit list	Reseller call processing CapTel Relay to CapTel CapTel to Relay CapTel Transfers Dedicated State CapTel Transfer Alternate Languages Spanish Language Customer Service Relay Caller ID True Caller ID Per Call Block Per Line Block Permanent Call Blocking Caller ID Blocking - True Caller ID – SS7 Connecting Variations Misdialed Relay Phrase Dialed 711 Instead of 911 711 Spanish Request for Relay Numbers Cellular/Wireless problem reaching 711 611/811 (LEC Service Access) 700 900 Numbers and Call Processing Correctional Facility/Prison Calls FAQs on the Use of Relay through Correctional Facilities: Correctional Facility Call Processing Relay Abuse
Overview of System and Equipment	System Overview Login/Logout Agent Profile The Mouse Clicking the Mouse Dragging/Dropping Copy/Paste Drop Down Boxes Lists Radio Button Scroll Bars Sliders Tables Tables Accessing a Program Screen Displays Call Handling Screen Title Bar Banner Conversation Area Disconnect Message Status Color Scheme Agent Text Transmission Cancel Key Information Bar Profile Help Call Type	Dial Window Scratch Pad Transfer Panel Headset Panel Status Bar Record Feature Function Keys Block Ctrl-Switch Switch The Keyboard Alpha Keys Function Keys Call Handling Keys Numeric Keys Cursor Movement Keys Arrow Keys Backspace Error Correction Function Single Word Edit Function Word Substitution Feature Macro Table Function Keys Ctrl-Function Keys Glossary of Telephony Terms Background Noises Voice Tones/Descriptive Words Standard Abbreviations
Phone Image	Professional Phone Image	Voice Person Speaking in 3rd Person

TRAINING TOPICS		
(Tone of Voice)	How phone image is created Provide warm and friendly greeting Conversational Tone Voice Inflection Audibility and breath control Pitch Quality Operator Role Relay Role Relay Skills Conversational Flow Staying focused Listening skills Customer service skill Coping skills Phrases Background Noises Voice Tones/Descriptive Words Transparency and Caller Control	Pacing the Voice Customer Brief pacing phrases Repeating information Voice Customer does not say "GA." Handling Interruptions Voice Tone How Phone Image is Created Provide a Warm Greeting Why Conversational Tone? Transparency, Caller Control & Confidentiality Rudeness, Types of Create an Exceptional Customer Experience Greeting Announce Closing Suggested Redirect Phrases
TTY to Voice and Voice to TTY	TTY to Voice Introduction Connecting to the outbound customer Announcement Explanation of service Deaf or hard of hearing Explanation International Announcement TTY to Voice Procedures TTY to Voice Specific Person Request Variations Specific Person Request TTY to Voice Answered TTY Voice Person Not Available TTY to TTY Call Release TTY to Voice Ans. TTY (TTY to TTY) TTY to TTY Specific Person Request TTY to Voice No Answer Types of Busy Signals Redialing	TTY to Voice Busy Signals Regional 800 Voice to TTY Voice to TTY Introduction Connecting to the outbound customer Voice Greeting Voice call progress Announcement Voice to TTY call (Hearing Person Answer) Explanation of service Voice to TTY Procedures Voice to TTY Specific Person Request Voice to TTY Answered Voice Voice to TTY No Answer Voice to TTY Busy Signal
Branding	Inbound Answer Type Branding Database Branding	Branding procedures
Recordings, Answering Machines, Pagers and AMR	Introduction Recording Feature Information Line Recording (TTY/Voice) Touch Tone Dialing Using Touch Tones (TTY/Voice) Audio text interaction Variations for Recordings Record Feature Tips TTY-Voice Recordings TTY-Voice Recording Information TTY-Voice Answering Machine Variations: Ans Mach/Recording/Pagers Voice Mail Retrieval	AMR (Answering Machine Retrieval) TTY-Voice Pager/Beeper (known) TTY-Voice Pager/Beeper (unknown) Voice to TTY Pager Voice to TTY Answering Machine Other Recording Variations Voice Mail System Privacy Manager/Call Intercept Automatic Redial System Recordings Switchboards Redialing Voicemail thru Switchboard TTY-Voice Asking for Specific Person Live person On Ans Mach Redial
VCO (Voice Carry Over)	VCO Introduction VCO Announcement VCO Service Explanation VCO Equipment Non-Branded VCO Branded VCO VCO No Answer VCO Busy VCO Privacy	Reverse Two-Line VCO Intro Reverse Two-Line VCO Procedure VCO Variations VCO comes in Voice Line 2LVCO Conference Calls VCO Requests Relay to give Relay # VCO Privacy while leaving message VCO Voice Mail Retrieval 2LVCO Voice Mail Retrieval

TRAINING TOPICS		
	VCO Answering Machine Voice to VCO Answered TTY Voice to VCO Answered VCO Two-Line VCO (2LVCO) Intro Two-Line VCO (2LVCO) Procedure	VCO Types and Voices Inbound Customer Requests VCO/HCO VCO Requests CA gives name in notes
Billing	Introduction Local call description Paid by inbound Over Sprint Network Toll Free Calls Calls that Cannot Be Processed COC (Carrier of Choice) Paid by Inbound Paid by Inbound Alternate Carrier of Choice Alternate Billing (Intro) Billing Options Collect FONCard (Sprint) Description LEC calling card Other long distance calling card Paid by Inbound Third Party Carrier of Choice Pre-paid calling cards Billing Procedures Calling Cards Paid Billing with COC (TTY-Voice) Paid Billing with COC (Voice-TTY) TTY/Voice Pre-Paid Calling Card/800 Card Voice/TTY Pre-Paid Calling Card/800 Card Voice-TTY Collect Specific Person Request	Calling Card – TTY Originated Calling Card – Voice Originated Collect Calls Collect Call Intro TTY-Voice Collect Specific Person Requested Person-to-Person Call Person-to-Person Call Processing Collect Call – TTY-Voice Collect Call – Voice/TTY Third Party Billing Third Party Billing Intro 3rd Party TTY-Voice Billing Voice Number 3rd Party TTY-Voice Billing TTY Number 3rd Party Voice-TTY Billing TTY Number Immediate Credit Inbound tells wrong # Agent dials wrong # Marine Roaming Feature Restricted Roaming Unrestricted Roaming Billing Variations
HCO (Hearing Carry Over)	HCO Intro HCO Announcement HCO Service Explanation Speech Disabled "S" Non-Branded HCO Branded HCO HCO with Privacy HCO No Answer HCO Busy HCO-Voice Answering Machine	Voice-HCO Answered Voice-HCO Answered TTY (1) (2) Voice-HCO recorded message answers Two-Line HCO (2LHCO) Intro Two-Line HCO Procedure Reverse Two-Line HCO HCO Variations Inbound requests VCO/HCO HCO User Requests to Speak
Customer Database	Enhanced Customer Database Profile Household Profile Edit Household Profile Navigating Customer Database Household Profile Panels Notes Frequently Dialed Numbers Personal Information Preferences COC Restrictions Blocked Emergency #s Speech to Speech STS Messages	Customer Profile Introduction Use/Edit/New/Delete Customer Profile Verify Customer Password for Agent Verify Customer Password – CSR Only Customer Profile Panels Personal Info Notes Frequently Dialed #s Preferences Emergency #s Speech to Speech STS Messages Database Profile Macros
Directory Assistance	DA Intro Interstate Directory Assistance Intrastate Directory Assistance Automated DA	Call Processing -- Calling from International Number Sprint International Variations Non-Standard TTY

TRAINING TOPICS		
	DA City & State Given; Area Code Unknown DA Variations Sprint International International Transfer Menu Call Processing -- Calling to International Number	Answered Foreign Language Transfer Menu 900 # Call Processing 211/311/511 Requests
Device to Device Calls	Device to Device Intro Function Keys and Banner Messages VCO to TTY and TTY to VCO VCO to VCO TTY to HCO and HCO to TTY	VCO to HCO and HCO to VCO HCO to HCO Device to Device Variations Alternate Call Type reaches recording
Call Processing Variations	CA Information Area Code Only In From Number Conversational Flow Static or Poor Connection Profanity towards Agent Redialing Young Children Inbound Does Not Connect Inbound ASCII Charges Refused 800 Number Tone Judgments Repeating Information Restricted Calls Two calling from numbers LEC Service Office 611/811 Double Letters Call Waiting Feature Conference Calls Party Line Calls Three-Way Calling Hard of hearing Customer Ans TTY Line Spanish Calls to TX Sp Speaking Agents Request for Alternate Language Caller Types in Alternate Language Voice Customer Hangs Up During a Call Variable Time Stamp Customer Misdialed Phrase TTY Customer Hangs Up During a Call Non Standard TTY Capability Relaying Internet Characters TTY User Does Not Type GA Dispatch Calls -- Pizza, Taxi, Carry-out Customer Referral Guidelines V-T Calls answered by Fax Customer Requests Holding for Inbound prior to out dial Request for Company Information Request for Information Request for M or F Agent Request Specific Agent Agent Knows Customer Request for Relay Number Customer Requests to Call Relay Service Request for Calling From Number Request Telephone Number Referral Request for Date/Time Customer Requests Agent to Modify Call	Request for Length of Call Request Long Distance Information T-V Call and V Requests Supervisor Call Backs for TTYs Multiple Calls Sensitive Topics Suicide Abuse Illegal Calls Answering Machines Hangs Up Before Message Left Do Not Type Recorded Messages Answering Machine Full Change Answering Machine Message VCO Requests Leave Message 1st out dial Leaving a Message V-TTY Ans V Retrieving Messages from TTY V Ans Mach TTY Screener Request to Leave TTY Message on Ans Mach Recordings Regional 800 TTY Requests "Dial That Number" Recording with Relay Option Alternate Call Recording Reached English/Spanish Pound Touch Tone Phone Advertisements Do Not Type Recordings Get Live Person/Rep Conversation Being Recorded Dial Number from Recorded Announcement VCO Conference Calls Leave Relay Number Voice Mail Retrieval VCO Types and Voices Prompting Data Transmission Box Prompting VCO on Hold Requests VCO/HCO HCO Requests VCO/HCO Alternate Call Type Recording Bridge Left Open

TRAINING TOPICS		
Call Take Over Procedures	FCC Rule Protocol and process flow TTY-Voice and Voice-TTY ASCI	VCO VCO to VCO HCO VCO-TTY and TTY-VCO
Customer Service	Functions Language Services	Procedures
OSD	Operator Services for the Deaf (OSD) Functions	OSD to TRS TRS to OSD
Transparency	Non-Emergency Calls Emergency Center Evacuation	Network Failure
Emergency Call Procedures	Emergency Calls Intro Emergency Services FCC Requirements Emergency Call Processing Emergency Reporting TTY-Emergency Voice-Emergency	TTY-Emergency TTY Call Release Internet-Emergency Internet (IP) Emergency Instant Messenger (IM) Emergency Emergency Call Processing Variations Emergency Form
Federal Relay Service	FRS Intro FRS Announcement FRS Service Explanation FRS Relay Procedures Federal Relay Service call types	FRS Confidentiality Policy FRS Customer Information Requests FRS Customer Contacts FRS Reporting
STS (Speech-to-Speech)	Speech To Speech Training Outline STS Introduction and History STS Description Disabilities Characteristics of STS users Stereotypes Clarifying Phrases Phrases to Avoid STS Phone Image STS Agent Tools Consistency Patience Ask Yes or No Questions No Personal Conversation Phrases You Can Use Speech to Speech Alphabet Transparency/Call Control/Confidentiality	Ways to Reduce/Streamline Notes Standard Abbreviations (STS) STS-Voice Voice-STS STS VCO-Voice Voice to STS VCO (TTY answer r) Voice to STS VCO (VCO answer) STS VCO -- 2 Line VCO TTY-STS STS-TTY Non-branded HCO to STS STS-HCO STS Hold Message STS Call Takeover Confidentiality and Transparency Personal Conversations requests Speech to Speech Variations
Healthy Detachment	Healthy Detachment Intro Objectives Survival Skills Relay Traps	Perception Ways to Reduce Stress Hospitality Phrases
Healthy Relay	A healthy approach toward Relay Introduction Objectives Ergonomics Stretching Exercises Agent Reinforcement Ergonomic Review	Setting up Workstation GUAM - Get Up and Move Ergonomic Relief Slowing the Customer Down Overtime Relaxation
Adult Learner	Understanding the Needs of the Adult Learner The Learning Continuum Use of Different Modalities Adult Learning - Edgar Dale's Cone of Experience Elements of Lesson Design Focus The Adult Learner Objective and Purpose Input	Modeling Checking For Understanding Guided Practice Independent Practice Summary Evaluation How to Give Effective Instruction Questioning Guidelines Feedback - Training and Coaching

TRAINING TOPICS		
		Technique Trust in Management
Assessing Performance	The Assessment Process in Training Assessment Time - What is involved? Practice Time Spelling Test Written tests Side by side evaluations Typing	Acceptable Time Frame Acceptable Is Relative Ways to "Coach" Feedback Maintain Self-esteem and Motivate Pass/Fail Guidelines Introduce Assessment Form Form Set-Up
Introduction to Diversified Culture	Introduction to Diversified Culture Objectives Who Uses Relay Understanding Our Customer Special Communication Needs Pathological vs. Cultural View of Deafness Characteristics of Deafness The Deaf Community	Why is there Deaf Culture? Attachments: What Do You Know About Deafness (Q) What Do You Know About Deafness (A) Myths About Deafness Two Views of Deafness Loudness Levels
Deaf Heritage	History in Europe History in North America Alexander Graham Bell	Edward Miner Gallaudet Oral / Combined Debate
The Deaf Community	Introduction to the Deaf Community National Association of the Deaf Contributions to Society Mainstreamed Schools	American Athletic Assn. of Deaf National Theatre of the Deaf Assistive Devices Gaining Acceptance in the Deaf Community
The Deaf Community	Sign Language Interpreters Different Communication Systems Exposure to English DEAF President Now Attitude Changes toward the Deaf Community	Changes in the Deaf Community Rules for Using a Sign Language Interpreter Interpreting Standards
American Sign Language Part 1	What is ASL? History of ASL ASL Recognized as Language	Rules of ASL Five Parameters of ASL English vs. ASL Idioms
American Sign Language Part 2	Evolution of ASL ASL Syntax	Translate ASL to English and Vice Versa
TTYPhony and TTY Courtesy	First Teletypewriter Evolution of the TTY Telecommunications Laws of Accessibility	TTY Courtesy Development of Relay Service Market
Hard of hearing and Late Deafened Customers	Hard of hearing and Late Deafened Customers Characteristics of Deaf Customers Assistive Devices for Deaf Customers	Establishment of Self Help for Hard-of-Hearing People (SHHH)(Now the 'Hearing Loss Association of America' (HLAA)) Relaying for Deaf Customers
Characteristics of late-deafened Customers	Establishment of Association of late-Deafened Adults (ALDA) Relaying for late-deafened Customers	Deaf-Blind, Speech-Challenged, Spanish Speaking and Hearing Customers
Characteristics of Deaf-Blind Customers	Assistive Devices for Deaf-Blind Customers Relaying for Deaf-Blind Customers	Deaf-Blind Pacing - allows the CA to slow down the transmission to the Braille machine
Characteristics of Relaying for other users	Speech-Challenged Customers Spanish-Speaking Customers	Hearing customers
Ethics and Confidentiality	Interpreting Standards The ADA and FCC regulations for the Provision of	TRS Rules - Operator Standards Relay Center Agreement Regarding

TRAINING TOPICS		
	TRS Regulations pertaining to call content	Confidential Customer Information.

Exhibit C - TRS Pledge of Confidentiality

Agreement Regarding Confidential Information

SPRINT TRS RELAY CENTERS AGREEMENT REGARDING CONFIDENTIAL CUSTOMER INFORMATION

IN CONSIDERATION of: (1) my employment with Sprint/United Management Company or any subsidiary, affiliate, or successor-in-interest of Sprint Corporation ("Sprint"), (2) my continued employment as long as mutually agreeable, and (3) the opportunity to receive Sprint confidential customer information or other good and valuable consideration:

AS AN EMPLOYEE OF THE RELAY SERVICES ORGANIZATION, I UNDERSTAND THAT I AM BOUND BY ALL SPRINT POLICIES AND SPECIFICALLY, I AGREE AS FOLLOWS:

1. ALL TELECOMMUNICATIONS RELAY SERVICE CALL RELATED INFORMATION SHALL BE KEPT STRICTLY CONFIDENTIAL. I will not reveal any information acquired during or observing a relay call. I will only discuss call-related questions or problems with management or Human Resources. I agree to keep confidential all information I learn in my position for the duration of and after my employment with Sprint ends.
2. NO RECORDS OF CUSTOMER INFORMATION OR CONTENT OF ANY TELECOMMUNICATIONS RELAY SERVICE CALL SHALL BE KEPT BEYOND THE DURATION OF THE CALL, WITH LIMITED EXCEPTIONS FOR AUTHORIZED COMPANY PROCEDURES. I will not keep a record of any customer information or conversation content beyond the duration of the call except in accordance with company procedures for relaying Speech to Speech calls or for billing and customer profile purposes. I will destroy all such records in my possession immediately upon completion of their authorized use.
3. NOTHING MAY BE EDITED OR OMITTED FROM THE CONTENT OF THE CONVERSATION OR THE SPIRIT OF THE SPEAKER. I will transmit exactly what is said in the way that it is intended in the language of the customer's choice.
4. NOTHING MAY BE ADDED OR INTERJECTED INTO THE CONTENT OF THE CONVERSATION OR THE SPIRIT OF THE SPEAKER. I will not advise, counsel, or interject personal opinions, even when asked to do so by the customer.
5. TO ASSURE MAXIMUM CUSTOMER CONTROL, I WILL BE FLEXIBLE IN ADAPTING TO THE CUSTOMER'S NEEDS.
6. I WILL STRIVE TO FURTHER MY SKILLS AND KNOWLEDGE THROUGH CONTINUED TRAINING, WORKSHOPS, AND READING OF CURRENT LITERATURE IN THE FIELD.
7. ALL SPRINT MATERIALS IN MY POSSESSION PERTAINING TO ANY SPRINT CUSTOMER WILL BE DELIVERED UPON THE TERMINATION OF MY EMPLOYMENT.

I have read and understand the Sprint Relay center Agreement Regarding Confidential Customer Information. I agree to comply and understand that failure to do so will lead to company disciplinary action that may result in my termination and/or criminal prosecution. I also understand that

ascertaining damages resulting from a breach of this agreement would be difficult. I agree that Sprint shall have the right to an injunction against me, enjoining any such breach without any obligation to post bond. I agree that this will be in addition to and without limiting any other remedies or rights Sprint may have against me.

EMPLOYEE SIGNATURE DATE

MANAGER/SUPERVISOR SIGNATURE DATE

CAPTEL CONFIDENTIALITY

Information obtained during a CapTel call should not be shared with any person except a member of the CapTel management staff who has asked for specific information. This information may be needed to clarify technical, policy, emergency, venting, consumer or customer service issues. General call information will not be shared unless it is used to clarify, vent, or teach. Information about call content should be discussed in a private area only.

Only information critical to resolving the situation will be disclosed. This may include consumer name, name of business/agency, gender of caller, type of call (voice in, CapTel in), day of week, time of day, city, state, or any other details that could in some way identify a consumer.

A Captionist may feel the need to "vent" about a call due to problems, complaints or stress from handling the call. The Captionist may ask to speak to a Supervisor or other member of management (as long as it wasn't their call) in a private area. Clarify before the conversation you wish to "vent" about a call.

The success of CapTel depends on quality and complete confidentiality. Consumers will be less likely to use the service if they feel their personal and professional calls are not kept in the strictest confidence. It is very important all Captionists understand and abide by the confidentiality policy. Any Captionist who breaks this policy will be disciplined, up to and including termination.

Confidentiality Policy

- I will not disclose to any individual (outside of a member of the CapTel management staff) the identity of any caller or information I may learn about a caller (including names, phone numbers, locations, etc.) on any CapTel call.
- I will not act upon any information received while processing a CapTel call.
- I will not disclose to anyone the names, schedules, or personal information of any fellow worker at CapTel Inc.

- I will not share any information about CapTel calls with anyone except a member of the CapTel Inc. management staff in order to investigate complaints, technical issues, etc.
- I will continue to hold in confidence all information related to the work and calls I have performed while at CapTel Inc. after my employment ends.
- I will never reveal my Captionist ID number in conjunction with my name unless asked by a member of the CapTel Inc. management staff.
- I will not share with anyone any technical aspect of my position at CapTel Inc. unless asked by a member of the CapTel Inc. management staff.
- I will not talk about consumers or call content with any fellow Captionists.
- I will not listen to or get involved in calls taken by fellow Captionists.

I have read the above Confidentiality Policy and understand a breach of confidentiality will result in disciplinary action up to and including termination of employment at CapTel Inc. I recognize the serious and confidential nature of my position and therefore promise to abide by these guidelines.

Employee Name

Date

Exhibit D - Signed Copies of Circular Letters of Invitation

Sprint Relay

<insert date>

<insert carrier name>

<insert contact name>

<insert tel nbr or fax nbr>

<insert email address>

Re: <insert customer (end user name)>, <insert telephone number>

Thank you for your interest to complete <insert carrier name> Toll calls with Sprint Telecommunications Relay Service (TRS). As the default Toll carrier for processing relay calls in more than thirty-two states (32), Sprint currently transports the traffic of customers who have selected you as their Toll carrier. However, many of your customers would prefer to use <insert carrier name> LD for their toll calls. At present, Sprint TRS is unable to send the toll calls from the regional centers or state access tandem to your network. Hence, this letter is being written to make you aware of a potential service-impacting issue regarding TRS calls and measures your company can take to ensure your customers' toll calls are completed through TRS.

The Americans with Disabilities Act of 1990 mandate TRS, and TRS standards are established and are monitored by the Federal Communications Commission (FCC). TRS is a service that links telephone conversations between standard (voice) telephone users and people who are deaf, hard of hearing, deaf-blind, or speech disabled using Text Telephone (TTY) equipment. The State Public Utilities Commission manages the day-to-day operations of TRS and has contracted with Sprint Corporation to provide relay service in their states.

Both, the Americans with Disabilities Act of 1990 and FCC's Order 00-56 on TRS mandate that all states provide TRS and that TRS users shall have equal access to their chosen interexchange carrier and to all other operator services, to the same extent that such access is provided to voice users. In order to provide this access to your customers, your company is encouraged to submit a letter of authorization to accept TRS calls from Sprint.

Attachment A lists the facility-based providers who currently participate at Sprint TRS Carrier of Choice program. If your company (or your facility based provider) is not currently listed, please review the following and determine the appropriate follow-up action needed to be taken:

Facility-based provider

1. If you are a participating member at Sprint Carrier of Choice program, please disregard.
2. If you are not a participating member at Sprint Carrier of Choice program, you need to establish a network presence at the regional centers or state access tandem and accept calls from Sprint through the industry method of SS7 trunking and TRS billing codes of Info Digit Pair 60, 66, and 67 (see below). You will need to provide Sprint with your toll carrier's SS7 Network Transit Selector information.

Non-facility based provider

1. If your underlying toll carrier is a participating member at Sprint Carrier of Choice program, Sprint can implement the IXC brand name and pass the toll call information to the underlying carrier's CIC code and SS7 Transit Network Selector information. Please submit a letter of authorization that would advise Sprint to implement the carrier brand name and to send the toll call information to its underlying toll carrier.
2. If your underlying toll carrier is not a participating member at Sprint Carrier of Choice program, you will need to work with your underlying toll carrier to establish a network presence at the regional centers or state access tandem and accept calls from Sprint through the industry method of SS7 trunking and TRS billing codes of Info Digit Pair 60, 66, and 67 (see below). You will need to provide Sprint with your toll carrier's SS7 Network Transit Selector information.

Before you submit a letter of authorization to Sprint TRS, please consider the following four factors:

1. Your (or your underlying toll carrier) CIC codes and SS7 Transit Network Selector information associated with 1+, 0+, and 0- and International dialing must be loaded into the regional (and/or state) access tandems.
2. You (or your underlying toll carrier) will need to support SS7 tandem interconnection.
3. You (or your underlying toll carrier) will need to ensure that your translation tables are updated in order to appropriately receive, rate, and bill Sprint calls per Bellcore industry standards. Sprint calls are designated as ANI II Digit Pair 60, 66, and 67.
4. If you utilize more than one underlying toll carrier to carry the toll traffic, select a single toll carrier that will accept Sprint traffic.

Note: For detailed information regarding access tandem interconnection and carrier of choice provisioning through Sprint, please refer to ATIS/NIIF-008, the "Telecommunications Relay service – Technical Needs" document.

Attachment B lists Sprint TRS Access Tandem Interconnection locations. The best way to provide access to your Toll network through relay service for your customers is to designate the 8 Sprint Regional TRS center/Access Tandem combinations as the points at which Sprint will hand off Toll relay service traffic to you. In this manner, any relay caller that wishes to use your services may be efficiently, and with

minimal time delay, routed to your network. Should you not have a presence at one or more of the Sprint regional center/access tandem combinations, the traffic may be handed off at one of the regional center's access tandem.

Attachment C is a sample letter of authorization. Once Sprint receives your written request to participate in the Sprint TRS Carrier of Choice program, Sprint will schedule translation updates in the next available release (usually 30 to 90 days). Information obtained from the carriers will be used solely for the purpose of providing equal access for <insert carrier name> LD customers and shall be held proprietary.

Sprint welcomes your company's participation in our TRS Carrier of Choice program at no cost to you if your company has network presence at any of our listed regional center/state access tandem locations. Your participation at the Sprint Carrier of Choice program will create a win-win situation for our customers. Through Sprint, as the relay provider, customers will be able to enjoy uninterrupted service and your company will be able to generate additional revenue.

Thank you for your prompt attention to this matter. If you have any questions concerning with the letter, please do not hesitate to call me at <xxx-xxx-xxxx> or email at <insert email address>

Sincerely Yours,

<insert name>

Program Manager, <insert state(s)>

Sprint Relay

CC: Michael Fingerhut, Federal Regulatory, Sprint

<insert name>, Program Manager, Sprint

Exhibit E District Delivery List

Appendix E: Disaster Recovery Plan and Network Support Plan

Sprint's comprehensive Disaster Recovery Plan details the methods Sprint will utilize to cope with specific disasters. The plan includes quick and reliable switching of calls, Sprint's TRS network diagrams identifying where traffic will be rerouted if vulnerable circuits become inoperable, and problem reporting with escalation protocol. Besides service outages, the Disaster Recovery Plan applies to specific disasters that affect any technical area of Sprint's Relay network.

The first line of defense against degradation is the Sprint's Relay dynamic call routing that Sprint employs. During a major or minor service disruption, the Sprint's Relay dynamic call routing network feature bypasses the failed or degraded facility and immediately directs calls to the first available Relay Operator in any of Sprint's fully inter-linked TRS Call Centers. ROs are trained in advance to provide service to other States; the transfer of calls between Centers is transparent to users.

Beyond the Sprint's Relay dynamic call routing network, Sprint's TRS Disaster Recovery Plan details the steps that will be taken to deal with any Relay problem, and restore Telecommunications Relay service to its full operating level in the shortest possible time.

STATE NOTIFICATION PROCEDURE

To provide the State with the most complete and timely information on problems affecting Relay service, the trouble reporting procedure will include three levels of response:

- An immediate report (as defined in the contract)
- A 24-hour status report
- A comprehensive final report within 5 business days

Sprint will notify the designated representative of the State within fifteen minutes if a Relay service disruption of 30 minutes or longer occurs. The report will explain how the problem will be corrected and an approximate time when full service will be restored. Within 24 hours of the Relay service disruption, an intermediate report provides problem status and more detail of what action is necessary. In most cases, the 24-hour report reveals that the problem has been corrected and that full Relay service has been restored. The final comprehensive written report, explaining how and when the problem occurred, corrective action taken, and time and date when full operation resumed will be provided to the Contract Administrator within five business days of return to normal operation. Examples of Relay service disruption include:

- TRS Switching System failure or malfunction
- Major transmission facility blockage of the last-leg circuits to the Relay Call Centers
- Threat to RO safety or other RO work stoppage
- Loss of RO position capabilities

Performance at each Sprint Relay Center is monitored continuously 24-hours-a-day, seven-days-a-week from Sprint's Service Assurance Monitoring Center (SAMC) in Overland Park, KS.

DISASTER RECOVERY PROCEDURES

If the problem is within a relay center, maintenance can usually be performed by the on-site technician, with assistance from Sprint's SAMC. If the problem occurs during non-business hours and requires on-site assistance, the SAMC will page the technician to provide service remedies. Sprint retains hardware spares at each center to allow for any type of repair required without ordering additional equipment (except for complete loss of a center).

TIME FRAMES FOR SERVICE RESTORATION

Complete or Partial Loss of Service Due to Sprint Relay Equipment or Facilities

■ Sprint Relay Call Center Equipment

A technician is on-site during the normal business day. The technician provides parts and / or resources necessary to expedite repair within two hours. Outside of the normal business day, a technician will be on-site within four hours. The technician then provides parts and / or resources necessary to expedite repair within two hours.

■ Sprint or Telco Network

Facilities or an outage of facilities directly serving incoming TRS Relay calls will immediately be routed to one of the other Centers throughout the US. No inbound calls will be lost. Repair of Interexchange and Local Exchange fiber or network facilities typically requires less than eight hours.

■ Due to Utilities or Disaster at the Center

Immediate rerouting of traffic occurs with any large-scale Relay Center disaster or utility failure. Service is restored as soon as the utility is restored, provided the Sprint Relay equipment has not been damaged. If the equipment has been damaged the service restoration for Sprint equipment (above) applies.

■ Due to Telco Facilities Equipment

A Telco equipment failure will not normally have a large effect on TRS traffic within the state unless it occurs on Telco facilities directly connected to the relay call center. In this case, normal Sprint Relay traffic rerouting will apply.

TROUBLE REPORTING PROCEDURES

The following information is required when a user is reporting trouble:

- Service Description
- Callers Name
- Contact Number
- Calling to/Calling from, if applicable
- Description of the trouble

Service disruptions or anomalies that are identified by users may be reported to the Sprint Relay Customer Service toll-free number at any time day or night, seven days a week. The Customer Service operator creates a trouble ticket and passes the information on to the appropriate member of Sprint's Maintenance Team for action. Outside the normal business day, the SAMC will handle calls from the Customer Service RO 24 hours a day, 7 days a week. The Maintenance Team recognizes most disruptions in service prior to customers being aware of any problem. Site technicians are on call at each of Sprint's twelve sites across the United States TRS call centers to respond quickly to any event, including natural disasters.

MEAN TIME TO REPAIR (MTTR)

MTTR is defined and detailed in Tables 1 and 2:

Time to Investigate	The time needed to determine the existence of a problem and its scope.
Time to Repair	Repair time by Field Operations plus LEC time, if applicable.
Time to Notify	From the time repair is completed to the time the customer is notified of repair completion.

Table 1 Time to Investigate + Time to Repair + Time to Notify

Switch or Service	8 Hours
Equipment	4 Hours (electronic failure)
Power Out	8 Hours


Table 2 -- Current MTTR Objectives

Sprint's Mean Time to Repair is viewed from the customer's perspective. A critical element in the equation is the Time to Notify, because Sprint does not consider a repair complete until the customer accepts the circuit back as satisfactory.

ESCALATION PROCEDURES

If adequate results have not been achieved within two hours, the Contract Administrator or a user may escalate the report to the next level. The table below details the escalation levels.

Escalation Level	Contact	Phone
------------------	---------	-------

	Regional Maintenance Manager	Office Phone Number (613-794-1120)
	Senior Manager, Technical Staff	Office Phone Number 613-794-3603